



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/605,163

09/12/2003

Sung-Fei Wang

10230-US-PA

2162

31561

7590

08/31/2004

JIANQ CHYUN INTELLECTUAL PROPERTY OFFICE

7 FLOOR-1, NO. 100

ROOSEVELT ROAD, SECTION 2

TAIPEI, 100

TAIWAN

EXAMINER

WILLIAMS, ALEXANDER O

ART UNIT

PAPER NUMBER

2826

DATE MAILED: 08/31/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/605,163

Applicant(s)

WANG, SUNG-FEI

Examiner

Alexander O Williams

Art Unit

2826

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 July 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) 9-17 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 to 8 and 18 to 26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 2826

Serial Number: 10/605163 Attorney's Docket #: 10230-US-PA

Filing Date: 9/13/2003; claimed foreign priority to 2/26/2003

Applicant: Wang

Examiner: Alexander Williams

Applicant's election with traverse of Species I (claims 1-8 and 18-25) filed 7/2/04 is acknowledged. Applicant's has added claim 26 to this species also.

Applicant's arguments on page 10 are not found to be persuasive. The Examiner would be unduly burdened to evaluate all claims fully on their merit at the full time. This is not found persuasive because of the reasons detailed in the last Office action.

The requirement is still deemed proper and is therefore made FINAL.

This application contains claims 9-17 drawn to an invention non-elected with traverse. A complete response to the final rejection must include cancellation of non-elected claims or other appropriate action (see 37 CFR § 1.144 & MPEP § 821.01).

Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the wherein the heat spreader is plated with gold in claims 4 and 25 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

Any amended replacement drawing sheet should include all of the figures

Art Unit: 2826

appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claims 4, 7, 8 and 25 are rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claims 4 and 25, it is unclear and confusing to what is meant and what shows "wherein the heat spreader is plated with gold." Where is this shown in the drawing?

In claim 7, it is unclear and confusing to what is meant by "wherein the chip further comprises a ground contact and the second bumps comprises a ground bump." Which chip is being described to as "the chip"?

Any of claims 4, 7, 8 and 25 not specifically addressed above are rejected as being dependent on one or more of the claims which have been specifically objected to above.

Art Unit: 2826

The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 2, 5 to 8, 18 to 24 and 26, **insofar as claims 7 and 8 can be understood**, are rejected under 35 U.S.C. § 102(b) as being anticipated by Degani et al. (U.S. Patent # 5,646,828).

1. Degani et al. (figures 1 to 10) specifically figure 8 show a multi-chip module (MCM) **17**, comprising: a substrate **71** having an opening **72** therein; a plurality of first bumps (**74 connecting 18 to 71**); a first chip **20** that has an active surface bonded to and electrically connected with the substrate through the first bumps, the active surface of the first chip facing the opening of the substrate; a plurality of second bumps (**74 connecting 20 to 18**); at least one second chip **20** disposed in the opening of the substrate and bonded to the active surface of the first chip through the second bumps, the second chip being electrically connected to the first chip through the second bumps; and at least one heat spreader **19,73** disposed in the opening of the substrate and bonded to the active surface of the first chip.

Art Unit: 2826

2. The MCM package of claim 1, Degani et al. further comprising a filling material **29** in the opening of the substrate, between the first chip **18** and the second chip **20** and between the first chip **18** and the substrate **71**, the filling material encapsulating the first bumps **74** and the second bumps **74**.
5. The MCM package of claim 1, Degani et al. further comprising a plurality of third bumps **(74 connecting 19 and 18)** for bonding the heat spreader **19** to the active surface of the first chip **18**.
6. The MCM package of claim 1, Degani et al. further comprising a thermally conductive adhesive **74** for bonding the heat spreader **19** to the active surface of the first chip **18**.
7. The MCM package of claim 1, Degani et al. show wherein the chip **20,18** further comprises a ground contact **(inherit)** and the second bumps **(74 connecting 20 to 18)** comprises a ground bump.
8. The MCM package of claim 7, Degani et al. show wherein the heat spreader **19** is electrically connected to the ground contact **(inherit)** through the ground bump **(74 connecting 20 to 18)**.
18. Degani et al. (figures 1 to 10) specifically figure 8 show a multi-chip **17** structure having a chip loaded with at least one other chip and at least one heat spreader, comprising: a first chip **18** having an active surface; at least one second chip **20** disposed on the active surface of the first chip; and at least one heat spreader **19,73** disposed on the active surface of the first chip.
19. The multi-chip structure of claim 18, Degani et al. further comprising a plurality of bumps **(74 connecting 18 to 71)** for bonding the second chip **20** to the active surface of the first chip **18**.
20. The multi-chip structure of claim 19, Degani et al. further comprising a filling material **29** between the first chip **18** and the second chip **20** encapsulating the bumps **(74 connecting 18 to 71)**.
21. The multi-chip structure of claim 18, Degani et al. further comprising a plurality of bumps **(74 connecting 19 and 18)** for bonding the heat spreader **19** to the active surface of the first chip **18**.
22. The multi-chip structure of claim 21, Degani et al. further comprising a filling material between the first chip and the heat spreader encapsulating the bumps.
23. The multi-chip structure of claim 18, Degani et al. further comprising a thermally conductive adhesive **(74 connecting 19 and 18)** for bonding the heat spreader **19** to the active surface of the first chip **18**.

Art Unit: 2826

24. The multi-chip structure of claim 18, Degani et al. show wherein the heat spreader **19** comprises silicon (**see column 4, lines 46-50**).

26. Degani et al. (figures 1 to 10) specifically figure 8 show a multi-chip module (MCM) **17** package, comprising: a substrate **71** having a hole **72** therein; a plurality of first bumps (**74 connecting 18 to 71**); a first chip **20** that has an active surface bonded to and electrically connected with the substrate **71** through the first bumps, the active surface of the first chip facing the hole of the substrate; a plurality of second bumps (**74 connecting 20 to 18**); at least one second chip **20** disposed in the hole of the substrate and bonded to the active surface of the first chip through the second bumps, the second chip being electrically connected to the first chip through the second bumps; and at least one heat spreader **19** disposed in the hole of the substrate and bonded to the active surface of the first chip.

Claims 3, 4 and 25, **insofar as claims 4 and 25 can be understood**, are rejected under 35 U.S.C. § 103(a) as being unpatentable over Degani et al. (U.S. Patent # 5,646,828) in view of Osedo (Japan Patent # 3-187227A).

Degani et al. show the features of the claimed invention as detailed above, but fail to explicitly show the heat spreader comprises a chip without signal transmission functions, wherein the heat spreader is plated with gold.

Osedo is cited for showing a semiconductor device. Specifically, Osedo (figures 1 to 3) disclosing Au plating, solder or conductive adhesive 6 is applied to the bonding surfaces of the metal chips 5 which are bonded to the electrode 3 of the semiconductor chip 1 and the metal chip 5 is bonded to the electrode 3 of the semiconductor chip 1 with it and further, as Au plating, solder or conductive adhesive 6 is applied to the bonded metal chip 5, the metal chip 5 can be bonded to the metal wiring of a package for the purpose of having highly accurate bonding between a semiconductor device and a package side.

3. The MCM package of claim 1, the combination with Osedo showing wherein the heat spreader comprises a chip **5** without signal transmission functions.

4 and 25. The MCM package of claim 1 or 18, the combination with Osedo showing wherein the heat spreader is plated with gold.

Therefore, it would have been obvious to one of ordinary skill in the art to use Osedo's gold plated heat sink chip for the purpose of having

Art Unit: 2826

highly accurate bonding between a semiconductor device and a package side.

The listed references are cited as of interest to this application, but not applied at this time.

Field of Search	Date
U.S. Class and subclass: 257/777,786,734,737,738,723,686,685,678,673,680,774, 784	8/25/04
Other Documentation: foreign patents and literature in 257/777,786,734,737,738,723,686,685,678,673,680,774, 784	8/25/04
Electronic data base(s): U.S. Patents EAST	8/25/04

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander O Williams whose telephone number is (571) 272 1924. The examiner can normally be reached on M-F 6:30-7:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571) 272 1915. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2826

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AOW
8/26/04



Primary Patent Examiner
Alexander O. Williams